



**Quality**

**Service**

**Cost-Containment**

**5-D Medical Supply**

# 3.5 - 4.0 mm Instrument Set 5-D Medical Supply,LLC.



Item no.	Contents	Units
043798.....	Outside Case, Small Fragment Screws and Plates .....	1
043811.....	Screw Caddy, 3.5mm and 4.0mm Screws .....	1
043812.....	Plate Caddy, 3.5 and 4.0mm Plates .....	1

## Instruments for the Small Fragment Tray

Item no. .... Contents ..... Units



2000DB .....	2.0mm Drill Bit, Quick Couple.....	1
2500DB .....	2.5mm Drill Bit, Quick Couple.....	1
3500DB .....	3.5mm Drill Bit, Quick Couple.....	1
4000DB .....	4.0mm Drill Bit, Quick Couple.....	1



3500CT .....	3.5 Cortical Tap, Quick Couple.....	1
--------------	-------------------------------------	---



4000CT .....	4.0 Cancellous Tap - Quick Couple .....	1
--------------	---	---



3540DG.....	Depth Gauge 3.5-4.0mm Screws .....	1
-------------	------------------------------------	---




3540SD .....	Screw Driver Handle - Quick Couple.....	1
--------------	---	---



3540QC.....	Screw Driver Shaft - Quick Couple .....	1
-------------	---	---



3540CS .....	Counter Sink .....	1
--------------	--------------------	---




3540 PB .....	Plate Bender .....	2
---------------	--------------------	---




2535DG.....	2.5/3.5 Two-sided Drill Guide .....	1
-------------	-------------------------------------	---



3540SF.....	Screw-Holding Forceps .....	1
-------------	-----------------------------	---



3540.RF.....	Bone Reduction Forceps.....	1
--------------	-----------------------------	---



3540.HF .....	Bone Holding Forceps.....	1
---------------	---------------------------	---



**3.5mm Cortical Stainless Steel,  
Self-Tapping Screws**

350.10.....	3.5mm Cortical Self-Tapping Screw, 10mm.....	4
350.12.....	3.5mm Cortical Self-Tapping Screw, 12mm.....	4
350.14.....	3.5mm Cortical Self-Tapping Screw, 14mm.....	4
350.16.....	3.5mm Cortical Self-Tapping Screw, 16mm.....	4
350.18.....	3.5mm Cortical Self-Tapping Screw, 18mm.....	4
350.20.....	3.5mm Cortical Self-Tapping Screw, 20mm.....	4
350.22.....	3.5mm Cortical Self-Tapping Screw, 22mm.....	4
350.24.....	3.5mm Cortical Self-Tapping Screw, 24mm.....	4
350.26.....	3.5mm Cortical Self-Tapping Screw, 26mm.....	4
350.28.....	3.5mm Cortical Self-Tapping Screw, 28mm.....	4
350.30.....	3.5mm Cortical Self-Tapping Screw, 30mm.....	4
350.36.....	3.5mm Cortical Self-Tapping Screw, 36mm.....	4
350.40.....	3.5mm Cortical Self-Tapping Screw, 40mm.....	4
350.45.....	3.5mm Cortical Self-Tapping Screw, 45mm.....	4
350.50.....	3.5mm Cortical Self-Tapping Screw, 50mm.....	4
350.55.....	3.5mm Cortical Self-Tapping Screw, 55mm.....	4
350.60.....	3.5mm Cortical Self-Tapping Screw, 60mm.....	4
350.65*.....	3.5mm Cortical Self-Tapping Screw, 65mm.....	0
350.70*.....	3.5mm Cortical Self-Tapping Screw, 70mm.....	0
350.75*.....	3.5mm Cortical Self-Tapping Screw, 75mm.....	0
350.80*.....	3.5mm Cortical Self-Tapping Screw, 80mm.....	0
350.85*.....	3.5mm Cortical Self-Tapping Screw, 85mm.....	0
350.90*.....	3.5mm Cortical Self-Tapping Screw, 90mm.....	0
350.95*.....	3.5mm Cortical Self-Tapping Screw, 95mm.....	0
350.100*.....	3.5mm Cortical Self-Tapping Screw, 100mm.....	0
350.105*.....	3.5mm Cortical Self-Tapping Screw, 105mm.....	0
350.110*.....	3.5mm Cortical Self-Tapping Screw, 110mm.....	0

\* These screws are not found in the basic set.  
Can be ordered on special request.



**4.0 mm Cancellous Stainless Steel,  
Self-Tapping Screws, Partially Threaded**

400.10PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 10mm.....	4
400.12PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 12mm.....	4
400.14PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 14mm.....	4
400.16PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 16mm.....	4
400.18PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 18mm.....	4
400.20PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 20mm.....	4
400.22PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 22mm.....	4
400.24PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 24mm.....	4
400.26PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 26mm.....	4
400.28PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 28mm.....	4
400.30PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 30mm.....	4
400.32PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 32mm.....	4
400.34PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 34mm.....	4
400.36PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 36mm.....	4
400.40PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 40mm.....	4
400.45PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 45mm.....	4
400.50PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 50mm.....	4
400.55PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 55mm.....	4
400.60PT.....	4.0mm Cancellous, Self-Tapping Partially-Threaded, 60mm.....	4



**4.0 mm Cancellous Stainless Steel,  
Self-Tapping Screws, Fully Threaded**

400.10FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 10mm.....	4
400.12FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 12mm.....	4
400.14FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 14mm.....	4
400.16FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 16mm.....	4
400.18FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 18mm.....	4
400.20FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 20mm.....	4
400.22FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 22mm.....	4
400.24FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 24mm.....	4
400.26FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 26mm.....	4
400.28FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 28mm.....	4
400.30FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 30mm.....	4
400.32FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 32mm.....	4
400.34FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 34mm.....	4
400.36FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 36mm.....	4
400.38FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 38mm.....	4
400.40FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 40mm.....	4
400.45FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 45mm.....	4
400.50FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 50mm.....	4
400.55FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 55mm.....	4
400.60FT.....	4.0mm Cancellous, Self-Tapping Fully-Threaded, 60mm.....	4

## Small Fragment Plates - Stainless Steel



35TPA.R..... T-Plate Angled 4-Hole, Right



35TPA.L..... T-Plate Angled 4-Hole, Left



3513.4..... 1/3 Tubular Plate 4-Hole



3513.5..... 1/3 Tubular Plate 5-Hole




3513.6..... 1/3 Tubular Plate 6-Hole



3513.7..... 1/3 Tubular Plate 7-Hole



35TP.4 ..... T-Plate Straight 4-Hole



35TP.5 ..... T-Plate Straight 5-Hole



35HP.5S..... H-Plate 5-Hole Short



35HP.5L..... H-Plate 5-Hole Long



35HP.8..... H-Plate 8-Hole

**System Distributed by:**

**5-D Medical Supply**

**8625 Q Street**

**Omaha, NE 68127**

**[www.5dmedicalsupply.com](http://www.5dmedicalsupply.com)**

**1-866-585-8884**