

Cannulated Screws 7.3mm, Instrument and Implant Set



Case Set, Instrument Set for Cannulated Screws 7.3mm, with Screw Caddies

Item Number.....7399-00ABC

1 Outside Case, 1 Instrument Tray, 3 Caddies
(Fully Threaded, 32 Threaded, 16mm Threaded)

Outside Case, Instrument Set for Cannulated Screws 7.3mm

Item Number.....7390

Screw Caddy, Cannulated Screws 7.3mm Fully Threaded

Item Number..... 7390A

Screw Caddy, Cannulated Screws 7.3mm TL=32mm

Item Number..... 7390B

Screw Caddy, Cannulated Screws 7.3mm TL=32mm

Item Number..... 7390C

Instrument Tray, Cannulated Screws 7.3mm Instrument

Item Number..... 7390D



Cannulated screw measuring device for 2.9mm guide wires, length 300mm

Item Number.....7301



5.0mm manual cannulated hexagonal screw driver with fiber/resin handle

Item Number.....7302



5.0mm cannulated quick-couple screw driver

Item Number.....7303

Cannulated Screws 7.3mm, Instrument and Implant Set



2.8mm cannulated T-handle 7.3mm tap

Item Number.....7304



Parallel Drill Guide, 2.8mm (adjustable)

Item Number.....7309



5.0mm cannulated drill bit, length 300mm

Item Number.....7305



13mm Washer

Item Number.....7313



Screw forceps, self-retaining

Item Number.....7306



2.8mm cannulated T-handle countersink

Item Number.....7314



Drill Protection Sleeve 8.5mm/2.9mm

Item Number.....7307

Drill Protection Sleeve 12/8.5mm

Item Number..... 7307A

Trocar for Drill Protection Sleeve, 2.8mm

Item Number..... 7307B



Guide Wire, 2.8mm diameter with spade point

Item Number.....7328

Cannulated Screws 7.3mm, Instrument and Implant Set



7.3mm Cannulated Screws, Hexagon drive, SD/ST, fully threaded, St. Steel

Thread diameter: 7.3mm
 Drill Bit for threaded hole: 5.0mm
 Shaft diameter: 4.8mm
 Core diameter: 4.5mm
 Hexagon socket width: 4.0mm
 Head diameter: 8.0mm
 Cannulation: 2.9mm
 Guide wire diameter: 2.8mm
 Reverse cutting flutes

7.3mm Cannulated Screws, Hexagon drive, SD/ST, thread length 16mm, St. Steel

Thread diameter: 7.3mm
 Drill Bit for threaded hole: 5.0mm
 Shaft diameter: 4.8mm
 Core diameter: 4.5mm
 Hexagon socket width: 4.0mm
 Head diameter: 8.0mm
 Cannulation: 2.9mm
 Guide wire diameter: 2.8mm
 Reverse cutting flutes

Item Number.	Length
7300T-45-SS	45mm
7300T-50-SS	50mm
7300T-55-SS	55mm
7300T-60-SS	60mm
7300T-65-SS	65mm
7300T-70-SS	70mm
7300T-75-SS	75mm
7300T-80-SS	80mm
7300T-85-SS	85mm
7300T-90-SS	90mm
7300T-95-SS	95mm
7300T-100-SS	100mm
7300T-105-SS	105mm
7300T-110-SS	110mm
7300T-115-SS	115mm
7300T-120-SS	120mm
7300T-125-SS	125mm
7300T-130-SS	130mm
7300T-135-SS	135mm
7300T-140-SS	140mm
7300T-145-SS	145mm
7300T-150-SS	150mm

Item Number.	Length
7316T-40-SS	40mm
7316T-45-SS	45mm
7316T-50-SS	50mm
7316T-55-SS	55mm
7316T-60-SS	60mm
7316T-65-SS	65mm
7316T-70-SS	70mm
7316T-75-SS	75mm
7316T-80-SS	80mm
7316T-85-SS	85mm
7316T-90-SS	90mm
7316T-95-SS	95mm
7316T-100-SS	100mm
7316T-105-SS	105mm
7316T-110-SS	110mm
7316T-115-SS	115mm
7316T-120-SS	120mm
7316T-125-SS	125mm
7316T-130-SS	130mm
7316T-135-SS	135mm
7316T-140-SS	140mm
7316T-145-SS	145mm
7316T-150-SS	150mm

Cannulated Screws 7.3mm, Instrument and Implant Set



7.3mm Cannulated Screws, Hexagon drive, SD/ST, thread length 32mm, St. Steel

Thread diameter:.....	7.3mm
Drill Bit for threaded hole:.....	5.0mm
Shaft diameter:.....	4.8mm
Core diameter:.....	4.5mm
Hexagon socket width:.....	4.0mm
Head diameter:.....	8.0mm
Cannulation:.....	2.9mm
Guide wire diameter:.....	2.8mm
Reverse cutting flutes	

Item Number.....	Length
7332T-40-SS	40mm
7332T-45-SS	45mm
7332T-50-SS	50mm
7332T-55-SS	55mm
7332T-60-SS	60mm
7332T-65-SS	65mm
7332T-70-SS	70mm
7332T-75-SS	75mm
7332T-80-SS	80mm
7332T-85-SS	85mm
7332T-90-SS	90mm
7332T-95-SS	95mm
7332T-100-SS	100mm
7332T-105-SS	105mm
7332T-110-SS	110mm
7332T-115-SS	115mm
7332T-120-SS	120mm
7332T-125-SS	125mm
7332T-130-SS	130mm
7332T-135-SS	135mm
7332T-140-SS	140mm
7332T-145-SS	145mm
7332T-150-SS	150mm

Serial number glossary:

7300

The first two numbers indicate the size of the screw. (ie: 7.3 mm screw)

7316

The second two numbers indicate the length of the partial thread on the end of the screw (ie: 16 indicates a 16mm threaded portion. '32' indicates a 32mm portion. '00' indicates fully threaded.)

7316T

The 'T' indicates the screw is self-tapping.


7316T-XX

The 'XX' indicates the size of the screw in mm.

7316T-XX-SS

The 'SS' indicates medical grade stainless steel

Cannulated Screws 7.3mm, Instrument and Implant Set



506101-Z00 Case Set, Instrument Set for 7.3mm Cannulated Screws, with Screw Caddies

Item no.	Contents	Units
506101A-000	Outside Case, Instrument Set for 7.3mm Cannulated Screws	1
506102A-000	Screw Caddy, Cannulated Screw 7.3mm Fully Threaded	1
506102B-000	Screw Caddy, Cannulated Screw 7.3mm TL=16mm	1
506102C-000	Screw Caddy, Cannulated Screw 7.3mm TL=32mm	1
506103A-000	Instrument Tray, Cannulated Screw 6.5/7.3mm Instrument	1

Cannulated Screws 7.3mm, Instruments

Item no.	Contents	Units
299108B-000	Guide Wire, 2.8mm dia., with spade point, length 300mm	8
306001A-500	Drill Bit, 5.0/2.9mm dia., cannulated, length 300/250mm	1
306002A-Z00	Countersink, cannulated, for 7.3mm Cannulated Screws	1
306003A-Z00	Parallel Wire Guide, 2.8mm dia. adjustable distance	1
306004A-Z00	Protection Sleeve 12.0/8.5	1
306005A-400	Drill Sleeve 8.5/2.8, length 120mm	1
306006A-Z00	Screwdriver, hexagonal, cannulated for 7.3mm cann. screws, 300mm	1
306007A-Z00	Tap, Cannulated, for 7.3mm Cannulated Screws	1
306008A-900	Measuring Device for 2.0 and 2.8mm guide wires, length 300mm	1
306009A-400	Protection Sleeve 15.5/13.0	1
306010A-400	Trocar, 2.8mm dia., length 130mm	1
306011A-600	Screwdriver Shaft, hexagonal, cannulated, for quick coupling, 270mm	1
306012A-400	Screw Forceps, self-retaining L 85mm	1

Cannulated Screws 7.3mm, Implants

Item no.	Contents	Units
Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, st. steel		
208830G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 30mm	3
208835G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 35mm	3
208840G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 40mm	3
208845G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 45mm	3
208850G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 50mm	3
208855G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 55mm	3
208860G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 60mm	3
208865G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 65mm	3
208870G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 70mm	3
208875G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 75mm	3
208880G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 80mm	3
208885G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 85mm	3
208890G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 90mm	3
208895G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 95mm	3
208900G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 100mm	3
208905G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 105mm	3
208910G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 110mm	3
208915G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 115mm	3
208920G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 120mm	3
208925G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 125mm	3
208930G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 130mm	3
208935G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 135mm	3
208940G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 140mm	3
208945G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 145mm	3
208950G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 16mm, L 150mm	3

Item no.	Contents	Units
Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, st. steel		
209845G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 45mm	3
209850G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 50mm	3
209855G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 55mm	3
209860G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 60mm	3
209865G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 65mm	3
209870G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 70mm	3
209875G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 75mm	3
209880G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 80mm	3
209885G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 85mm	3
209890G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 90mm	3
209895G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 95mm	3
209900G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 100mm	3
209905G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 105mm	3
209910G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 110mm	3
209915G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 115mm	3
209920G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 120mm	3
209925G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 125mm	3
209930G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 130mm	3
209935G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 135mm	3
209940G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 140mm	3
209945G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 145mm	3
209950G-000	Cannulated Screw 7.3mm, hexagon drive, thread length 32mm, L 150mm	3
Cannulated Screw 7.3mm, hexagon drive, fully threaded, st. steel		
209630G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 30mm	3
209635G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 35mm	3
209640G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 40mm	3
209645G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 45mm	3
209650G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 50mm	3
209655G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 55mm	3
209660G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 60mm	3
209665G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 65mm	3
209670G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 70mm	3
209675G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 75mm	3
209680G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 80mm	3
209685G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 85mm	3
209690G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 90mm	3
209695G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 95mm	3
209700G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 100mm	3
209705G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 105mm	3
209710G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 110mm	3
209715G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 115mm	3
209720G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 120mm	3
209725G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 125mm	3
209730G-000	Cannulated Screw 7.3mm, hexagon drive, fully threaded, L 130mm	3
Washer, st. steel		
297101A-000	Washer, 13.0mm dia., for 4.5-7.3mm screws	6

Cannulated Screws 7.3mm, Instrument and Implant Set

ORDERING INSTRUCTIONS

1. Faxing

Fax the “Inventory Sheet” after each surgical case checking the appropriate box for what was used. A replacement will be sent overnight FedEx and the hospital will be invoiced.

Fax: (402) 331-9903

Attn:5-D Medical Supply Re-Order

2. Using the Internet

Using the website www.5dmedicalsupply.com your purchasing agent will log-in and order the replacement screws, pins, etc.

Internet ordering process

User ID: Your email address

This is the email that has been logged into our system by your staff. This email should be accessible while in the hospital at work. (Some personal email addresses are filtered/not accessible through hospital firewall software)

Password: This is a password that is set up by your purchasing agent and can be reset if needed through the website. This should be available to whoever does the ordering of supplies. If you still have problems, you can call us at (402) 350-2733 to reset the password.

Next Step: Click on the top left icon labeled, “Internal Fixation” (see picture on the next page)

You will not see this “Internal Fixation” icon unless your User ID has been approved by the administration of 5-D Medical Supply.



- Internal Fixation
 - Orthopedic Braces
 - Foot/Leg/Arm Shower Protectors
 - Cohesive Bandages, Trauma/Wound Dressings
 - FOOT CARE PRODUCTS
 - PRE-FAB ORTHOTIC - THE FOOT CHAIR
 - TALL PNEUMATIC CAMWALKER
 - TALL CAMWALKER W/O AIR
 - SHORT CAMWALKER W/O AIR
 - DORSAL NIGHT SPLINT
-

After clicking on “internal fixation” you will come to another page. Now you will be looking at a page with a list of items for the 7.3 cannulated screw and instrument set. The items you see here are different types of screws, drill bits, pins and washers.

Cannulated Screws 7.3mm, Instrument and Implant Set

For Example:

Lets say you are going to order the 7.3mm cannulated screw, 32mm partially threaded screw, 45mm in length. In this example you are going to order 3 screws.

Click on the description of the screw that states:

“7.3mm Cannulated Self-Tapping Screw, Partially Threaded 32mm, Stainless Steel”

Next Step:

There is a list of different lengths of this specific screw.

When you look to the right you will see your price is in the “Sale Price” box at the right of the description.

To the right of the “Sale Price” is the “Quantity Box”. In this example, you are ordering 3 of the 45mm length screw.

You will type the number “3” in the Quantity Box. (As shown below)

Whatever it is you are ordering, there is a box at the end of the description of the item. The default number for that box is “1”. Just put the number in the box you wish to order. All the other boxes have the “1” also in the box. This does not mean that you are going to order 1 of everything. The only way that items will be added to your “cart” (items which you are purchasing) is if you check the “Add” box at the far right of the item description.

Next Step: Now check the box “Add” which is located to the far right of the description and quantity.

Next Step: Now you much go to the bottom of the page and Click on the box, “Add to Cart”.

Once this box is checked, the item is officially ordered.

Item#	Item Name	Our Price	Sale Price	Qty	Add
7332T-45-SS	7.3mm Cannulated Self-Tapping Screws, Partially-Threaded 32mm Thread Length - 45mm	\$169.00	\$169.00	3	<input checked="" type="checkbox"/>

If you would like to order more/different items then you will need to click the “Continue Shopping” box on the website and go through the same process with the new items you wish to order.

Any questions ordering please call (402) 350-2733.

Thank you for using 5-D Medical Supply.

Cannulated Screws 7.3mm, Instrument and Implant Set

Comparison/Cost-Savings

Our focus is to help you with cost-containment of your orthopedic supplies. As you can see in the table below, the leader in orthopedic trauma internal fixation is Synthes. There are many companies that offer the same product as Synthes such as Zimmer, ACE, etc. All these companies, as well as many others, have approximately the same price for their products. Even though they vary slightly, they are all very similar.

Our prices set a new bar for excellence in orthopedics while containing costs for the hospitals. We are so confident that this product is the same quality as you are using now, we are making this offer.

USE THIS TRAY FOR *FREE* FOR YOUR FIRST 2 CASES

No matter what you use in the set it is 100% free for your first 2 cases. If you are not 100% pleased with the quality of the 7.3 Cannulated Screw and Instrument set you may return it without any charge. You will not be billed for the use of those 2 cases.

Items used in Surgery	5-D Medical Supply	Synthes
7.3 Cannulated Screw, Stainless steel	\$169	\$291
2.8mm Guide Pin	\$26	\$43
5.0 Cannulated Drill Bit	\$269	\$420
13mm Washers for 7.3mm screw	\$16	\$25.50
7.3 Cannulated Screw and Instrument Set and Tray	\$0	\$56,000-62,000

(2010 prices from Synthes and Zimmer)

Implants used/surgery	Cases/month	5-D Medical Supply Cost	Synthes Cost	Monthly Cost Savings	Annual Cost Savings
2 Screws, 2 pins, 1 drill bit	4	\$2636 <small>(\$659/Surgical Case)</small>	\$4352 <small>(\$1088/Surgical Case)</small>	\$1716	\$20,592
Same	8	\$5272	\$8704	\$3432	\$41,184
Same	10	\$6590	\$10880	\$4290	\$51,480
Same	12	\$7908	\$13056	\$5148	\$61,776

Cannulated Screws 7.3mm, Instrument and Implant Set

Inventory Control Form

5-D Medical Supply, Inc.

7.3 Cannulated Screws

Re-order:

www.5dmedicalsupply.com

Patient Information:

Or fax to:

(402) 331-9903

Date: _____

Hospital: _____

Surgeon: _____

Procedure: _____

7.3 mm Cannulated Screws Fully-Threaded



SERIAL#	LENGTH	
7300T-45-SS	45MM	
7300T-50-SS	50MM	
7300T-55-SS	55MM	
7300T-60-SS	60MM	
7300T-65-SS	65MM	
7300T-70-SS	70MM	
7300T-75-SS	75MM	
7300T-80-SS	80MM	
7300T-85-SS	85MM	
7300T-90-SS	90MM	
7300T-95-SS	95MM	
7300T-100-SS	100MM	
7300T-105-SS	105MM	
7300T-110-SS	110MM	
7300T-115-SS	115MM	
7300T-120-SS	120MM	
7300T-125-SS	125MM	
7300T-130-SS	130MM	

7.3 mm Cannulated Screws 16mm Thread Length



SERIAL #	LENGTH	
7316T-40-SS	40MM	
7316T-45-SS	45MM	
7316T-50-SS	50MM	
7316T-55-SS	55MM	
7316T-60-SS	60MM	
7316T-65-SS	65MM	
7316T-70-SS	70MM	
7316T-75-SS	75MM	
7316T-80-SS	80MM	
7316T-85-SS	85MM	
7316T-90-SS	90MM	
7316T-95-SS	95MM	
7316T-100-SS	100MM	
7316T-105-SS	105MM	
7316T-110-SS	110MM	
7316T-115-SS	115MM	
7316T-120-SS	120MM	
7316T-125-SS	125MM	
7316T-130-SS	130MM	
7316T-135-SS	135MM	
7316T-140-SS	140MM	
7316T-145-SS	145MM	
7316T-150-SS	150MM	

7.3 Cannulated Screws 32mm Thread Length



SERIAL #	LENGTH	
7332T-45-SS	45MM	
7332T-50-SS	50MM	
7332T-55-SS	55MM	
7332T-60-SS	60MM	
7332T-65-SS	65MM	
7332T-70-SS	70MM	
7332T-75-SS	75MM	
7332T-80-SS	80MM	
7332T-85-SS	85MM	
7332T-90-SS	90MM	
7332T-95-SS	95MM	
7332T-100-SS	100MM	
7332T-105-SS	105MM	
7332T-110-SS	110MM	
7332T-115-SS	115MM	
7332T-120-SS	120MM	
7332T-125-SS	125MM	
7332T-130-SS	130MM	
7332T-135-SS	135MM	
7332T-140-SS	140MM	
7332T-145-SS	145MM	
7332T-150-SS	150MM	

7313	13 mm Washers	
------	---------------	--



7328	2.8 mm Guide Pin	
------	------------------	--

7305	5.0 mm Cannulated Drill Bit	
------	-----------------------------	--

